## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

类图

<del>1</del>23 - 1



**≯2图** 




And the substitute of the subs

F1G.2

A contact to the contact of the cont

Same to Brack to the second


本3図 <del>図 3</del>



F1G. 3


the force to a suppose the factor of the control of the angular the control of th

**学4图** <del>2 4</del>




tide lessal baseles in 1844 mile mile transmitte d'Ara typitale foi lamandes Vente de transmitte

类的




举6团



F1G.6


Lington 1016 of Clinical The Lington 100 of Clinical L

**举7四** 



The order of the Louis Control of the control of th

才8图



The Lifebour To A Commission of the Commission of the American of the Commission of

岁9图

